

Specifications:

- All timber to be rough sawn white oak with 1/4" chamfer throughout.
- Timber joints to be secured with white oak or locust pegs.
- Posts are 4x4, top is 5x6, girt is 2x6.
- Top has band sawn curve with 5/4 pine roof and forest green metal roofing
- Sign area is eastern white cedar tongue-in-groove boards. They are naturally rot resistant and easy to push a thumb-tack in to. They come standard unstained.
- Door is of 1x2 kiln dried cherry with plexiglas® installed in dadoed groove. Door is hinged on top and has pin with hole to receive padlock (padlock not provided).
- Back can serve as optional additional signage area..
- Posts to be buried minimum 4' below grade, backfilled with 3/4" crushed stone.

Options:

- Paint signboard: The standard signboard is unstained, and will gray with time. We offer solid stains by Arborcoat in Mission Brown and Imperial Gray - \$40/ unit
- Carved location signs: We will carve up to 14 letters in to the header. These letters can be filled with paint or left natural. - \$150
- Double-sided: A unit with larger framing and locking doors on both sides - \$450
- Locust posts: Upgrade for added rot-resistance - \$250

Single Unit: \$1,400

2-4 Units: \$1,300

5 or more Units: call for pricing



For photos and more information, visit our website: www.timberhomesllc.com/kiosks

Prices do not include loading, delivery or shipping. Quotes upon request.
Site preparation and installation are NOT included in unit cost.

TimberHomes Vermont, PO Box 106, Vershire, VT 05079
Contact: Timo@timberhomesllc.com, (802) 685-7974 ext. 110
Made in Vermont, Worker-Owned

Roof

Metal attached w/ 6 roofing screws, 1" from edge of wood, w/ 3/4" reveal.



Sign Cross-Section

Cherry doors by
Mike McDonnell
(2" wide face frame)

3' long T+G EWC •

EWC Stops

Plug Install:

- Install door and close
- Drill 5/8" centered hole through door w/ forstner bit, let it prick the oak as a guide.

-Drill through oak w/
1/2" auger bit, but don't
let it come out other
side.

- Drill relief for plug head w/ 1-1/8" forstner

(From plug shoulder
to center of eye)

Std. hardware
store lock
(not included)

Door

Shim behind hinge to center door in TF

